

We make sure



Eckpunkte der EuP-Vorstudie zu PCs und Computermonitoren (Los 3) und Instrumente zur Förderung der Umwelt-Performance

www.ecocomputer.org



Hellmut Böttner, TQM, Oktober 2007

Lot 3 Final Report

Hellmut.Boettner@fujitsu-siemens.com, Tel. 0821 804 2677

Eckpunkte der EuP-Vorstudie zu PCs und Computermonitoren (Los 3) und bestehende Instrumente zur Förderung der Umwelt-Performance

- EuP-Anforderungen aus Sicht eines PC-Herstellers
 - Verbesserungspotenzial und Szenarien der Studie zu Los 3 (PC und Computermonitore: www.ecocomputer.org)
 - Informationsbereitstellung
- Instrumente zur Förderung der Umweltperformance
 - Energy Star, TCO, Blauer Engel, Öffentliche Beschaffung
 - WWF, Eco TopTen
 - Umweltkriterien für PCs von Beschaffungsamt, Umweltbundesamt und BITKOM (www.ITK-Beschaffung.de)
- Widersprüchliches und Empfehlungen

EuP Lot 3 Study Personal Computers and Monitors

We make sure



Ecodesign and Life Cycle Thinking




Bild 7 2007-05-04

Lot 3 Improvement Potential (Base: 2005) Greenhouse gas emissions & Cost reduction

We make sure



Examples	Improvement option	Greenhouse gas emissions approx. 1)	Cost reduction to the consumer in Euro approx. 1)
Desktop office	Using Power Management "80-plus" Power supply unit Improved processor Adaptive clock frequency	More than halved	100
Desktop home	Using Power Management "80-plus" Power supply unit Improved processor Adaptive clock frequency	Almost halved	60
Laptop office	Using Power Management "80-plus" Power supply unit	Reduced by 35%	30
Laptop home	Using Power Management	Reduced by 25%	15
LCD in office	Using Power Management "80-plus" Power supply unit	Reduced by 45%	35

1): per Product life (6.6 years for Desktop and LCD, 5.6 years for Laptop)

Overview of Scenarios 1-3 Lot 3

Scenario	High efficient PSU	Power management enabled	Information about power levels	Idle/active level	Sleep/off levels
1. Business as usual I	Voluntary in E* tier I for computers	Voluntary in E* tier I for computers and monitors	-	Voluntary in E* tier I for computers and tier II monitors	Voluntary in E* for computers and monitors
2 Business as usual II, including Energy Star tier II for computers as foreseen for 2009 in Energy Star Agreement	Voluntary in E* (same as tier I) for computers	Voluntary in E* (same as tier I) for computers and monitors	-	Voluntary in E* first tier I then tier II Assumption of tier II, implemented 2009 is to decrease the tier I limits by 10% on idle-on mode for the different categories of computers.	Voluntary in E* for computers and monitors
3. Possible option A for implementing measures (base is business as usual I)	Mandatory from 2009 for desktops, laptops and monitors	Mandatory from 2009 for computers (including power down of monitors)	-	Mandatory minimum requirements for monitors from 2009 (power/resolution) Mandatory minimum requirements for power/area for monitors from 2011 Mandatory minimum requirements for idle for computers in line with E* tier I from 2010	Mandatory minimum requirements for computers and monitors from 2009

Overview of Scenarios 4 and 5 Lot 3

Scenario	High efficient PSU	Power management enabled	Information about power levels	Idle/active level	Sleep/off levels
4. Possible option B for implementing measures (base is business as usual I)	Mandatory from 2009 for desktops and monitors	Mandatory for computers (including power down of monitors) from 2009	Mandatory from 2009	Mandatory minimum requirements for monitors from 2009 (power/resolution) Mandatory minimum requirements for power/area for monitors from 2011	Mandatory minimum requirements on all products from 2009
5. Industry recommendation	Computers: Mandatory efficiency of 75% for desktops, 84% for notebooks from 2009 and 80% for desktops, from 2011	Computers (including power down of monitors) Mandatory from 2009	-	Voluntary in E* Monitors: Mandatory levels for monitors from 2009 (power/resolution)	Voluntary in E* Mandatory from 2009 for all products Mandatory from 2011 with harder limits for Computers

Scenario analysis Lot 3

Primary Energy use comparison

We make sure



1. Business as usual scenario I





Figure 11 Primary energy use in scenario 4. Possible option B for implementing measures

4. Possible option B for implementing measures



Reduction of 20% in 2020

PJ = Peta Joule = 10^{15} Joule, 1 TWh = 3,6 PJ

Scenario 4 - Possible option B

Information Requirement for Producers

We make sure









According to measurement methods of Energy Star Program 4.0

- Power use in
 - Idle mode
 - Sleep mode
 - Off mode
- Content of restricted substances such as mercury (e.g. in lamps)
- Web page address for information on
 - Energy
 - Environment and
 - End of life treatment

Additional Information to be given for computer monitors

- Power use in active mode per product and per area (m²)

Labels overview, Sleep/Off Requirements

		Desktop Sleep	Desktop Off	Laptop Sleep	Laptop Off	Monitor Sleep	Monitor Off
Energy Star		$\leq 4 \text{ W}$	$\leq 2 \text{ W}$	$\leq 1,7 \text{ W}$	$\leq 1 \text{ W}$	$\leq 2 \text{ W}$	$\leq 1 \text{ W}$
TCO		$\leq 5 \text{ W}$	$\leq 2 \text{ W}$	$\leq 4 \text{ W}$	$\leq 2 \text{ W}$	$\leq 2 \text{ W}$	$\leq 1 \text{ W}$
Blauer Engel		$\leq 4,5 \text{ W}$	$\leq 2,5 \text{ W}$	$\leq 3,5 \text{ W}$	$\leq 2 \text{ W}$	$\leq 2 \text{ W}$	$\leq 1 \text{ W}$
GEEA		$\leq 4 \text{ W}$	$\leq 2 \text{ W}$	$\leq 1,7 \text{ W}$	$\leq 1 \text{ W}$	$\leq 2 \text{ W}$	$\leq 1 \text{ W}$
Nordic Swan		$\leq 4 \text{ W}$	$\leq 2 \text{ W}$	$\leq 3 \text{ W}$	$\leq 2 \text{ W}$	$\leq 2 \text{ W}$	$\leq 1 \text{ W}$
EU-Umweltzeichen "EU-Blume"		$\leq 4 \text{ W}$	$\leq 2 \text{ W}$	$\leq 3 \text{ W}$	$\leq 2 \text{ W}$	$\leq 2 \text{ W}$	$\leq 1 \text{ W}$

Instrumente / Umweltanforderungen

Beispiel WWF: Beschaffung mit Umweltkriterien

(siehe www.wwf.de)

Unternehmen, Behörden und Privatverbraucher können ihren Beitrag für die Verminderung von Umweltbelastungen leisten und bei der Beschaffung auf folgende Punkte achten:

Computer, die das Siegel „Blauer Engel“ tragen, erfüllen eine Vielzahl von Umweltkriterien.

Mainboards und Leiterplatten können schon jetzt halogenfrei hergestellt werden. Dies kann ein weiteres Kriterium für eine Ausschreibung sein.

Bei Vorlage von Angeboten für Neugeräte nachfragen, ob die Altgeräte umweltgerecht verwertet werden.

Weitere Informationen: Dr. Bernhard Bauske, Strategische Kooperationen, WWF Deutschland, Tel.: 0 69/7 91 44-1 72, bauske@wwf.de



Instrumente / Umweltanforderungen Beschaffungsamt, Umweltbundesamt und BITKOM

We make sure



www.ITK-Beschaffung.de Suche

- Startseite
- Aktuelle Informationen
- Projekthintergrund
- Beschaffung Desktop
- Beschaffung Notebook
- Glossar
- Download
- Links
- Partner

■ Ankündigung www.ITK-Beschaffung.de

In Kürze finden öffentliche Auftraggeber hier einen Leitfaden zur Beschaffung von Informations- und Kommunikationstechnologien. Ziel ist es, diese dabei zu unterstützen, ihre Ausschreibungen produktneutral, d.h. ohne Verwendung geschützter Markennamen oder Nennung eines bestimmten Herstellers und unter Berücksichtigung aktueller technischer Anforderungen, zu formulieren. In einem ersten Schritt werden hierbei Arbeitsplatz-PCs behandelt, in Zukunft soll der Leitfaden auch Notebooks und Server berücksichtigen. Dieses Webportal und der hier veröffentlichte Leitfaden sind Ergebnis einer Arbeitsgruppe unter Führung des Beschaffungsamtes des Bundesministeriums des Innern und des Bundesverbandes Informationswirtschaft, Telekommunikation und neue Medien e.V. (BITKOM).

Die Notwendigkeit eines solchen Leitfadens ergibt sich aus europäischem wie deutschem Recht, das grundsätzlich die Nennung von Markennamen in öffentlichen Ausschreibungen verbietet. Dieser Leitfaden soll daher öffentlichen Auftraggebern helfen, die Einhaltung der rechtlichen Anforderungen und damit einen fairen Wettbewerb zu gewährleisten. Hierzu wird auf die Verwendung allgemein anerkannter Benchmarkverfahren zurückgegriffen. Die Aktualität des Leitfadens wird durch regelmäßige Updates gewährleistet.

Der Leitfaden wird um Umweltkriterien und technische Regulierungen erweitert. Damit wird dem Bedürfnis nach umweltfreundlicher Beschaffung und technischer Konformität Rechnung getragen.

An der Erstellung dieses Angebotes wirkten mit: Das Beschaffungsamt des Bundesministeriums des Innern, das Bundesamt für Informationsmanagement und Informationstechnik der Bundeswehr, von Seiten der Industrie AMD, Bull, DELL, Fujitsu Siemens Computers und Intel. Die Erweiterung um Umweltkriterien erfolgt in Zusammenarbeit mit dem Umweltbundesamt.

■ AKTUELLE INFORMATIONEN

20.09.2007
ITK-Beschaffung.de
Dieses Portal wird bald zu Ihrer Verfügung stehen und einen aktuellen Leitfaden zum...

■ PRÄSENTIERT VON

Umwelt Bundes Amt
FÜR Mensch und Umwelt

■ PARTNER

[Sitemap](#) [Impressum](#) [Feedback](#)

Instrumente / Umweltanforderungen Vergleich

We make sure



	Energy Star	EuP Vorschlag IVF	Blauer Engel	Öffentliche Beschaffung Ausschlusskriterien / Bewertungskriterien (Entwurf, 17. September 2007)	
Material			Vorgaben für diverse Materialien, Verpackung	Vorgaben für Gehäusekunststoffe	Vorgaben für diverse Materialien, Verpackung
Energie	Vorgaben für Idle/Sleep/Off Mindesteffizienz für SV	Anforderungen nach Energy Star Mindesteffizienz für SV	Wirkungsgrad Vorgaben für Sleep/Off, inkl. On für Monitore	Anforderungen nach Energy Star (Sleep, Off)	Idle-Anforderungen nach Energy Star
Geräusch			vorhanden	wünschenswert (in Diskussion)	wünschenswert (in Diskussion)
Recycling			vorhanden	Rücknahme erfolgt kostenfrei	
Sonstiges			Mindestverfügbarkeit für Ersatzteile		Mindestverfügbarkeit für Ersatzteile

Stand: 08.10.2007

Widersprüchliches zwischen Lot 3 und Lot 6

Widersprüchliches zwischen Labels und Lot 6

Beispiel: Annex 2 – Working document Lot 6*

Definitionen und Werte sind unterschiedlich!!!

	Off mode	Standby	Standby incl. providing info (status display)
After 1 year	1.0 Watt	1.0 Watt	2.0 Watt
After 3 years	0.5 Watt	0.5 Watt	1.0 Watt

* Lot 6 Working document on possible Ecodesign requirements on **standby and off-mode** electric power consumption of electrical and electronic household and office equipment (09/2007)

Empfehlung von Fujitsu Siemens Computers


We make sure



typical: 300 kWh / a (186 kg / a) *
 best pract.: 200 kWh / a (124 kg / a)
 Reference: DIN EN 153



typical: 250 kWh / a (155 kg / a) *
 best pract.: 190 kWh / a (118 kg / a)
 Reference: EN 60456



typical: 7.7 l / 100 km (186 g / km)
 best pract.: 3,9 l / 100 km (102 g / km)
 Reference: 80/1268/EG, 99/100/EG, 1999/94/EC



typical: 160 kWh / a (99 kg / a) *
 best pract.: 57 kWh / a (35 kg / a)
 Reference: www.eu-EnergyStar.org



57 kWh / a

↑ Proposal to be discussed

*) : 620 g CO₂ / kWh, www.verivox.de

Beispiel der Umsetzung einer Empfehlung von Fujitsu Siemens Computers

We make sure



www.fujitsu-siemens.de/energiesparen

Standard-Business PC



Plattform	ESPRIMO P
Prozessor	Pentium D
Power Mngt.	Nicht vorhanden
Monitor	17" Röhre

Energiewerte*	
Verbrauch	215,4 kWh
Energiekosten	40,93 €
CO ₂	133,57 kg

1 Treffen Sie Ihre Auswahl aus unseren energiesparenden PCs

ESPRIMO Professional PC

Strom sparender PC



Plattform	ESPRIMO P5615
Prozessor	AMD Athlon 64 X2 3800+ (35V)
Power Mngt.	An
Monitor	17" TFT

Energiewerte*	
Verbrauch	89,5 kWh
Energiekosten	17,01 €
CO ₂	55,49 kg

2 Geben Sie die Rahmenparameter für die Nutzung der Arbeitsplätze vor

Berechnungsgrundlagen

Stromtarif	0,19	€/kWh
PC in aktiver Nutzung	1	h/Tag
PC im Leerlauf	7	h/Tag
Nutzungszeitraum	1	Jahre
Anzahl PCs	1	Stück

3 Berechnen

Einsparungen

Verbrauch	125,9	kWh
Energiekosten	23,93	€
CO ₂	78,08	kg
Anzahl Säcke Braunkohle (50kg)	15,1	Stück

We make sure



Vielen Dank für Ihre Aufmerksamkeit!!!

Hellmut Böttner

Hellmut.Boettner@fujitsu-siemens.com

www.fujitsu-siemens.de

We make sure



Backup

EuP Scenarios for Computers and Monitors and Proposal of FSC

We make sure



		Scenario 4 proposal Option B (recommendation of IVF)	Scenario 5 proposal Option C (EICTA, AeA and JBCE suggestion)	FSC proposal (08/2007)
A1	High efficient internal E* PSU (Desktop)	Mandatory E* from 2009	Mandatory efficiency of 75% for desktops, 84% for notebooks from 2009 and 80% for desktops from 2011	Mandatory E* from 2010
A2	High efficient external E* PSU (Monitor, Laptop)	Mandatory from 2009		Mandatory from 2010
B	Power Management enabled	Mandatory from 2009	Mandatory from 2009	Mandatory from 2009
C	Information about power level	Mandatory from 2009: neutral web page, power consumption sticker, info for restricted substances		Mandatory from 2009: power consumption in datasheet and on producer web page , sticker voluntary
D1	Idle/active level E* (Desktop, Laptop)	No requirement	Voluntary in E*;	No requirement
D2	Idle/active level E* (Monitor)	Mandatory minimum requirements from 2009: power/resolution from 2011: power/area	Mandatory from 2009 (power/resolution)	Mandatory minimum requirements from 2009: power/resolution from 2011: power/area
E	Sleep/off level according to E* (EnergyStar)	Mandatory from 2009	Voluntary in E*	Mandatory from 2010

Scenario 4 - Possible option B

Main Assumptions for the calculation

We make sure



- Energy Star requirements assumed as Business as usual
 - Energy Star 4.0 in place 2007 (2007: 10%; 2011: 65% of new computers fulfil EnergyStar)
- Mandatory from 2009:
 - Power management settings enabled
 - High efficient power supply units for desktops, laptops and monitors
 - Minimum requirements for sleep and off
 - Information requirements
- No minimum requirements for idle-mode for computers is included
- Mandatory from 2011:
 - Minimum requirement for active/on-mode power for monitors...
 - Decrease the average power in active mode for monitors by 5%

Typical Power Consumption - Savings

Typical Power Consumption in Watt	Desktop incl. 17" LCD Monitor	Notebook incl. 17" LCD Monitor	17" LCD Monitor
Operation	110	63	31
Screen off	80	33	1
HD off	72	31	-
Standby	3	4	1
Hibernating	4	2	-


 Power Management

Source: EuP preparatory study, Report Lot 3, Task 4 and 5 (www.ecocomputer.org), EU 2005

Voreinstellungen der Energieoptionen bei FSC für Office und Home PC

We make sure



Voreinstellungen der Energieoptionen ab Werk 1)	Netzbetrieb	Batteriebetrieb	Typische Antwortzeit bei einem Notebook
Monitor ausschalten (Screen off)	10 min	5 min	1 s
Festplatten ausschalten (HD off)	15 min	10 min	4 – 5 s
Standby	20 min	15 min	5 s
Ruhezustand (Hibernating)	1 h	30 min	30 s

1): Optimierung/Anpassung möglich über Start/Einstellungen/Systemsteuerung/Energieoptionen