

**Working Document on a Draft**

**COMMISSION DELEGATED REGULATION (EU) No .../..**

**of XXX**

**supplementing Directive 2010/30/EU of the European Parliament and of the Council**

**with regard to labelling on the Internet of energy-related products amending Commission Delegated Regulations (EU) 1059/2010, 1060/2010, 1061/2010, 1062/2010, 626/2011, 392/2012, 874/2012, [heaters/2013], [water heaters/2013], [vacuum cleaners/2013], [ovens and range hoods/2013], [solid fuel boilers/2013] and [local space heaters/2013]**

THE EUROPEAN COMMISSION,

Having regard to the Treaty on the Functioning of the European Union,

Having regard to Directive 2010/30/EU of the European Parliament and of the Council of 19 May 2010 on the indication by labelling and standard product information of the consumption of energy and other resources by energy-related products<sup>1</sup>, and in particular Articles 7 and 10 thereof,

Having regard to Commission Delegated Regulation (EU) No 1059/2010 of 28 September 2010 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of household dishwashers<sup>2</sup>,

Having regard to Commission Delegated Regulation (EU) No 1060/2010 of 28 September 2010 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of household refrigerating appliances<sup>3</sup>,

Having regard to Commission Delegated Regulation (EU) No 1061/2010 of 28 September 2010 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of household washing machines<sup>4</sup>,

Having regard to Commission Delegated Regulation (EU) No 1062/2010 of 28 September 2010 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of televisions<sup>5</sup>,

Having regard to Commission Delegated Regulation (EU) No 626/2011 of 4 May 2011 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of air conditioners<sup>6</sup>,

---

<sup>1</sup> OJ L 153, 18.6.2010, p. 1.

<sup>2</sup> OJ L 314, 30.11.2010, p. 1.

<sup>3</sup> OJ L 314, 30.11.2010, p. 17.

<sup>4</sup> OJ L 314, 30.11.2010, p. 47.

<sup>5</sup> OJ L 314, 30.11.2010, p. 64.

<sup>6</sup> OJ L 178, 6.7.2011, p. 1.

Having regard to Commission Delegated Regulation (EU) No 392/2012 of 1 March 2012 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of household tumble driers<sup>7</sup>,

Having regard to Commission Delegated Regulation (EU) No 874/2012 of 12 July 2012 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of electrical lamps and luminaires<sup>8</sup>,

Having regard to Commission Delegated Regulation (EU) No ..../2013 of .. .. 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar device and packages of combination heater, temperature control and solar device<sup>9</sup>, [note: adopted 18 February 2013, not yet published in the OJ]

Having regard to Commission Delegated Regulation (EU) No ..../2013 of .. .. 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of water heaters, hot water storage tanks and packages of water heater and solar device<sup>10</sup>, [note: adopted 18 February 2013, not yet published in the OJ]

Having regard to Commission Delegated Regulation (EU) No ..../2013 of .. .. 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of vacuum cleaners<sup>11</sup>, [note: adoption foreseen for April 2013]

Having regard to Commission Delegated Regulation (EU) No ..../2013 of .. .. 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of ovens and range hoods<sup>12</sup>, [note: ISC launched 18 March 2013]

Having regard to Commission Delegated Regulation (EU) No ..../2013 of .. .. 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of solid fuel boilers and packages of solid fuel boiler, supplementary heater, temperature control and solar device<sup>13</sup>, [note: ISC launched April 2013]

Having regard to Commission Delegated Regulation (EU) No ..../2013 of .. .. 2013 supplementing Directive 2010/30/EU of the European Parliament and of the Council with regard to energy labelling of local space heaters<sup>14</sup>, [note: ISC launched April 2013]

Whereas:

- (1) Directive 2010/30/EU requires the Commission to adopt delegated acts as regards the labelling of energy-related products and to make provisions in those delegated acts to ensure that potential end-users are also provided with the information specified on the label and in the fiche of the product in the of distance selling, including mail order, by catalogue, telemarketing or through the Internet.
- (2) Delegated acts currently specify for distance selling that the information that is on the label is shown in a specific order, but unlike the displaying of the energy label in shops there is currently no requirement to show the label itself, nor is the fiche required to be shown in case of distance selling. As a consequence in distance selling end-users are not guided by the colour scale of the label, not informed of what the best

---

<sup>7</sup> OJ L 123, 9.5.2012, p. 1.

<sup>8</sup> OJ L 258, 26.9.2012, p. 1.

<sup>9</sup> [insert OJ reference]

<sup>10</sup> [insert OJ reference]

<sup>11</sup> [insert OJ reference]

<sup>12</sup> [insert OJ reference]

<sup>13</sup> [insert OJ reference]

<sup>14</sup> [insert OJ reference]

energy labelling class for the product group is, nor provided with further information contained in the fiche, thus affecting their ability to make better informed purchasing decisions.

- (3) Distance selling of energy-related products through the Internet is increasing and becoming a significant share of sales. For selling through the Internet, technological progress makes it possible to display the label and the fiche without additional administrative burden. Therefore, the delegated acts should be amended in order to require for selling through the Internet that the label and fiche are displayed.
- (4) In order for the label and fiche to be displayed on the Internet, the delegated acts should be amended to require suppliers to make the label and the fiche available to dealers electronically for each model.
- (5) Since display of the label and fiche immediately next to the product may require more screen space than available, they should be allowed to be shown through nested display, to be accessed through mouse click, mouse roll-over or tactile screen expansion of a clearly identifiable image. Delegated acts should be amended to specify requirements for such nested display,

HAS ADOPTED THIS REGULATION:

### *Chapter 1*

#### **Amendments to Regulation (EU) No 1059/2010**

Regulation (EU) No 1059/2010 is amended as follows:

1. The following is added in the end of Article 3(b):  
“, including electronically”
2. A new paragraph is inserted in Article 3:  
“(f) an electronic label in the format and containing the information as set out in Annex I shall be made available to dealers for each household dishwasher model.”
3. The following is added in the end of Article 4(b):  
“, except where through the Internet for which the provisions in Annex VIII shall apply”
4. Annexes are amended as set out in Annex I to this Regulation.

### *Chapter 2*

#### **Amendments to Regulation (EU) No 1060/2010**

Regulation (EU) No 1060/2010 is amended as follows:

1. The following is added in the end of Article 3(b):  
“, including electronically”
2. A new paragraph is inserted in Article 3:

“(f) an electronic label in the format and containing the information as set out in Annex II shall be made available to dealers for each household refrigerating appliance model.”

3. The following is added in the end of Article 4(b):  
“, except where through the Internet for which the provisions in Annex X shall apply”
4. Annexes are amended as set out in Annex II to this Regulation.

### *Chapter 3*

#### **Amendments to Regulation (EU) No 1061/2010**

Regulation (EU) No 1061/2010 is amended as follows:

1. The following is added in the end of Article 3(b):  
“, including electronically”
2. A new paragraph is inserted in Article 3:  
“(f) an electronic label in the format and containing the information as set out in Annex I shall be made available to dealers for each household washing machine model.”
3. The following is added in the end of Article 4(b):  
“, except where through the Internet for which the provisions in Annex VIII shall apply”
4. Annexes are amended as set out in Annex III to this Regulation.

### *Chapter 4*

#### **Amendments to Regulation (EU) No 1062/2010**

Regulation (EU) No 1062/2010 is amended as follows:

1. The following is added in the end of Article 3(1)(b):  
“, including electronically”
2. A new paragraph is inserted in Article 3(1):  
“(f) an electronic label in the format and containing the information as set out in Annex V shall be made available to dealers for each television model.”
3. The following is added in the end of Article 4(b):  
“, except where through the Internet for which the provisions in Annex IX shall apply”
4. Annexes are amended as set out in Annex IV to this Regulation.

## Chapter 5

### **Amendments to Regulation (EU) No 626/2011**

Regulation (EU) No 626/2011 is amended as follows:

1. The following is added in the end of the first sentence of Article 3(1)(b):  
“, including electronically”
2. A new paragraph is inserted in Article 3(1):  
“(h) an electronic label complying with the format and the content of information as set out in Annex III shall be made available to dealers for each air conditioner model, respecting energy efficiency classes as set out in Annex II.”
3. The following is added in the end of Article 4(b):  
“, except where through the Internet for which the provisions in Annex IX shall apply”
4. Annexes are amended as set out in Annex V to this Regulation.

## Chapter 6

### **Amendments to Regulation (EU) No 392/2012**

Regulation (EU) No 392/2012 is amended as follows:

1. The following is added in the end of Article 3(b):  
“, including electronically”
2. A new paragraph is inserted in Article 3(1):  
“(f) an electronic label in the format and containing the information as set out in Annex I shall be made available to dealers for each household tumble drier model.”
3. The following is added in the end of Article 4(b):  
“, except where through the Internet for which the provisions in Annex VIII shall apply”
4. Annexes are amended as set out in Annex VI to this Regulation.

## Chapter 7

### **Amendments to Regulation (EU) No 874/2012**

Regulation (EU) No 874/2012 is amended as follows:

1. A new paragraph is inserted in Article 3(1):  
“(f) an electronic label in the format and containing information as set out in Annex I.1 shall be made available to dealers for each lamp model.”
2. The following is deleted in the first sentence of Article 3(2)(c):  
“or paper”

3. The following is added in the end of Article 4(1)(a):  
“, except where through the Internet for which the provisions in Annex VIII shall apply”
4. A new paragraph is inserted in Article 4(2):  
“(d) each model offered for sale, hire or hire-purchase through the Internet shall be accompanied by the label in accordance with Annex VIII.”
5. Annexes are amended as set out in Annex VII to this Regulation.

## Chapter 8

### Amendments to Regulation (EU) No ..../2013

Regulation (EU) No ..../2013 [*energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar device and packages of combination heater, temperature control and solar device*] is amended as follows:

1. In Article 3(1) paragraph (b) is replaced by the following:  
“(b) a product fiche, as set out in point 1 of Annex IV, is provided for each space heater, including electronically, whereby: for heat pump space heaters, the product fiche is provided at least for the heat generator; for space heaters intended for use in packages of space heater, temperature control and solar device, a second fiche, as set out in point 5 of Annex IV, is provided, including electronically;”
2. A new paragraph is inserted in Article 3(1):  
“(f) an electronic label complying with the format and content of information set out in point 1.1 of Annex III shall be made available to dealers for each space heater model, conforming to the seasonal space heating energy efficiency classes set out in point 1 of Annex II;”
3. A new paragraph is inserted at the end of Article 3(1):  
“From [*date to be inserted: six years after the Regulation on energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar device and packages of combination heater, temperature control and solar device has entered into force*] an electronic label complying with the format and content of information set out in point 1.2 of Annex III shall be made available to dealers for each space heater model, conforming to the seasonal space heating energy efficiency classes set out in point 1 of Annex II.”
4. In Article 3(2) paragraph (b) is replaced by the following:  
“(b) a product fiche, as set out in point 2 of Annex IV, is provided for each combination heater, including electronically, whereby: for heat pump combination heaters, the product fiche is provided at least for the heat generator; for combination heaters intended for use in packages of combination heater, temperature control and solar device, a second fiche, as set out in point 6 of Annex IV, is provided, including electronically;”
5. A new paragraph is inserted in Article 3(2):  
“(f) an electronic label complying with the format and content of information set out in point 2.1 of Annex III shall be made available to dealers for each combination

heater model, conforming to the seasonal space heating energy efficiency classes and water heating energy efficiency classes set out in points 1 and 2 of Annex II;”

6. A new paragraph is inserted at the end of Article 3(2):  
“From [*date to be inserted: six years after the Regulation on energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar device and packages of combination heater, temperature control and solar device has entered into force*] an electronic label complying with the format and content of information set out in point 2.2 of Annex III shall be made available to dealers for each combination heater model, conforming to the seasonal space heating energy efficiency classes and water heating energy efficiency classes set out in points 1 and 2 of Annex II.”
7. The following is added in the end of Article 3(3)(a):  
“, including electronically”
8. The following is added in the end of Article 3(4)(a):  
“, including electronically”
9. The following is added in the end of Article 3(5)(b):  
“, including electronically”
10. A new paragraph is inserted in Article 3(5):  
“(f) an electronic label complying with the format and content of information set out in point 3 of Annex III shall be made available to dealers for each package of space heater, temperature control and solar device, conforming to the seasonal space heating energy efficiency classes set out in point 1 of Annex II.”
11. The following is added in the end of Article 3(6)(b):  
“, including electronically”
12. A new paragraph is inserted in Article 3(6):  
“(f) an electronic label complying with the format and content of information set out in point 4 of Annex III shall be made available to dealers for each package of combination heater, temperature control and solar device, conforming to the seasonal space heating energy efficiency classes and water heating energy efficiency classes set out in points 1 and 2 of Annex II.”
13. The following is added in the end of Article 4(1)(b):  
“, except where through the Internet for which the provisions in Annex IX shall apply”
14. The following is added in the end of Article 4(2)(b):  
“, except where through the Internet for which the provisions in Annex IX shall apply”
15. The following is added in the end of Article 4(3)(b):  
“, except where through the Internet for which the provisions in Annex IX shall apply”
16. The following is added in the end of Article 4(4)(b):

“, except where through the Internet for which the provisions in Annex IX shall apply”

17. Annexes are amended as set out in Annex VIII to this Regulation.

## Chapter 9

### Amendments to Regulation (EU) No .. /2013

Regulation (EU) No .. /2013 [*water heaters, hot water storage tanks and packages of water heater and solar device*] is amended as follows:

1. In Article 3(1) paragraph (b) is replaced by the following:

“(b) a product fiche, as set out in point 1 of Annex IV, is provided for each water heater, including electronically, whereby: for heat pump water heaters, the product fiche is provided at least for the heat generator; for water heaters intended for use in packages of water heater and solar device, a second fiche, as set out in point 4 of Annex IV, is provided, including electronically;”
2. A new paragraph is inserted in Article 3(1):

“(f) an electronic label complying with the format and content of information set out in point 1.1 of Annex III shall be made available to dealers for each water heater model, conforming to the water heating energy efficiency classes set out in point 1 of Annex II;”
3. A new paragraph is inserted at the end of Article 3(1):

“From [*date to be inserted: four years after the Regulation on energy labelling of water heaters, hot water storage tanks and packages of water heater and solar device has entered into force*] an electronic label complying with the format and content of information set out in point 1.2 of Annex III shall be made available to dealers for each water heater model, conforming to the water heating energy efficiency classes set out in point 1 of Annex II.”
4. The following is added in the end of Article 3(2)(b):

“, including electronically”
5. A new paragraph is inserted in Article 3(2):

“(f) an electronic label complying with the format and content of information set out in point 2.1 of Annex III shall be made available to dealers for each hot water storage tank model, conforming to the energy efficiency classes set out in point 2 of Annex II;”
6. A new paragraph is inserted at the end of Article 3(2):

“From [*date to be inserted: four years after the Regulation on energy labelling of water heaters, hot water storage tanks and packages of water heater and solar device has entered into force*] an electronic label complying with the format and content of information set out in point 2.2 of Annex III shall be made available to dealers for each hot water storage tank model, conforming to the energy efficiency classes set out in point 2 of Annex II.”
7. The following is added in the end of Article 3(3)(a):

“, including electronically”



8. The following is added in the end of Article 3(4)(b):  
“, including electronically”
9. A new paragraph is inserted in Article 3(4):  
“(f) an electronic label complying with the format and content of information set out in point 3 of Annex III shall be made available to dealers for each package of water heater and solar device, conforming to the water heating energy efficiency classes set out in point 1 of Annex II.”
10. The following is added in the end of Article 4(1)(b):  
“, except where through the Internet for which the provisions in Annex X shall apply”
11. The following is added in the end of Article 4(2)(b):  
“, except where through the Internet for which the provisions in Annex X shall apply”
12. The following is added in the end of Article 4(3)(b):  
“, except where through the Internet for which the provisions in Annex X shall apply”
13. Annexes are amended as set out in Annex IX to this Regulation.

#### *Chapter 10*

##### **Amendments to Regulation (EU) No ..../2013**

Regulation (EU) No ..../2013 [*vacuum cleaners*] is amended as follows:

1. The following is added in the end of Article 3(1)(b):  
“, including electronically”
2. A new paragraph is inserted in Article 3(1):  
“(f) an electronic label in the format and containing the information as set out in Annex II shall be made available to dealers for each vacuum cleaner model.”
3. The following is added in the end of Article 4(b):  
“, except where through the Internet for which the provisions in Annex VIII shall apply”
4. Annexes are amended as set out in Annex X to this Regulation.

#### *Chapter 11*

##### **Amendments to Regulation (EU) No ..../2013**

Regulation (EU) No ..../2013 [*ovens and range hoods*] is amended as follows:

1. The following is added in the end of Article 3(1)(a)(ii):  
“, including electronically”
2. A new paragraph is inserted in Article 3(1)(a):

“(vi) an electronic label containing information in the format set out in point 1 of Annex III shall be made available to dealers for each cavity of the oven model.”

3. The following is added in the end of Article 3(1)(b)(ii):

“, including electronically”

4. A new paragraph is inserted in Article 3(1)(b):

“(vi) an electronic label containing information in the format set out in point 2 of Annex III shall be made available to dealers for each range hood model.”

5. The following is added in the end of Article 4(1)(b):

“, except where through the Internet for which the provisions in Annex VIII shall apply”

6. The following is added in the end of Article 4(2)(b):

“, except where through the Internet for which the provisions in Annex VIII shall apply”

7. Annexes are amended as set out in Annex XI to this Regulation.

## Chapter 12

### Amendments to Regulation (EU) No .. /2013

Regulation (EU) No .. /2013 [*solid fuel boiler, supplementary heater, temperature control and solar device*] is amended as follows:

1. In Article 3(1) paragraph (b) is replaced by the following:

“(b) a product fiche, as set out in point 1 of Annex IV, is provided for each solid fuel boiler, including electronically, whereby for solid fuel boilers intended for use in packages of solid fuel boiler, supplementary heater, temperature control and solar device, a second fiche, as set out in point 2 of Annex IV, is provided, including electronically;”

2. A new paragraph is inserted in Article 3(1):

“(f) an electronic label complying with the format and content of information set out in point 1.1 of Annex III shall be made available to dealers for each solid fuel boiler model, conforming to the energy efficiency classes set out in Annex II;”

3. A new paragraph is inserted at the end of Article 3(1):

“From [*date to be inserted: six years after the Regulation on energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar device and packages of combination heater, temperature control and solar device has entered into force*] an electronic label complying with the format and content of information set out in point 1.2 of Annex III shall be made available to dealers for each solid fuel boiler model, conforming to the energy efficiency classes set out in Annex II.”

4. The following is added in the end of Article 3(2)(b):

“, including electronically”

5. A new paragraph is inserted in Article 3(2):

“(f) an electronic label complying with the format and content of information set out in point 2 of Annex III shall be made available to dealers for each package of solid fuel boiler, supplementary heater, temperature control and solar device, conforming to the energy efficiency classes set out in Annex II.”

6. The following is added in the end of Article 4(1)(b):  
“, except where through the Internet for which the provisions in Annex IX shall apply”
7. The following is added in the end of Article 4(2)(b):  
“, except where through the Internet for which the provisions in Annex IX shall apply”
8. Annexes are amended as set out in Annex XII to this Regulation.

### *Chapter 13*

#### **Amendments to Regulation (EU) No ../2013**

Regulation (EU) No ../2013 [*local space heaters*] is amended as follows:

1. The following is added in the end of Article 3(b):  
“, including electronically”
2. A new paragraph is inserted in Article 3:  
“(f) an electronic label in the format and containing the information as set out in point 1.1 of Annex III shall be made available to dealers for each local space heater model, conforming to the energy efficiency classes set out in point 1 of Annex II.”
3. The following is added in the end of Article 4(b):  
“, except where through the Internet for which the provisions in Annex IX shall apply”
4. Annexes are amended as set out in Annex XIII to this Regulation.

### *Chapter 14*

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

It shall apply from [*insert date: 6 months after entry into force of this Regulation*].

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels,

*For the Commission*  
*The President*  
José Manuel BARROSO

## ANNEX I

Annexes to Regulation 1059/2010 are amended as follows:

- (1) The title of Annex IV is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**
- (2) The following Annex VIII is added:

### “ANNEX VIII

#### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label made available by suppliers in accordance with Article 3(f) shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in point 2 of Annex I. The label may be displayed using a nested display, whereby the image used for accessing the label shall adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product on the label; and
  - (b) on the arrow indicate energy efficiency class of the product in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:



4. The sequence of display of the label in case of nested display shall be as follows:
  - (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product price information;

- (b) the image shall link to the label;
  - (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
  - (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
  - (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
  - (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
  - (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product in a font size equivalent to that of the price.
5. The information in the product fiche referred to in Annex II shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the information is clearly visible and legible. The information may exclude information that is already displayed on the label. The information may be displayed using a nested display, whereby the image used for accessing the fiche shall clearly and legibly indicate "Product fiche". If nested display is applied, the information shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.”

## ANNEX II

Annexes to Regulation 1060/2010 are amended as follows:

- (1) The title of Annex V is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**

- (2) The following Annex X is added:

### “ANNEX X

#### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label made available by suppliers in accordance with Article 3(f) shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in point 3 of Annex II. The label may be displayed using a nested display, whereby the image used for accessing the label shall adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product on the label; and
  - (b) on the arrow indicate energy efficiency class of the product in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:



4. The sequence of display of the label in case of nested display shall be as follows:
  - (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product price information;

- (b) the image shall link to the label;
  - (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
  - (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
  - (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
  - (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
  - (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product in a font size equivalent to that of the price.
5. The information in the product fiche referred to in Annex III shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the information is clearly visible and legible. The information may exclude information that is already displayed on the label. The information may be displayed using a nested display, whereby the image used for accessing the fiche shall clearly and legibly indicate "Product fiche". If nested display is applied, the information shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.”

### ANNEX III


Annexes to Regulation 1061/2010 are amended as follows:

- (1) The title of Annex IV is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**
- (2) The following Annex VIII is added:

#### “ANNEX VIII

#### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label made available by suppliers in accordance with Article 3(f) shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in point 2 of Annex I. The label may be displayed using a nested display, whereby the image used for accessing the label shall be adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product on the label; and
  - (b) on the arrow indicate energy efficiency class of the product in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:


4. The sequence of display of the label in case of nested display shall be as follows:
  - (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product price information;



- (b) the image shall link to the label;
  - (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
  - (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
  - (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
  - (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
  - (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product in a font size equivalent to that of the price.
5. The information in the product fiche referred to in Annex II shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the information is clearly visible and legible. The information may exclude information that is already displayed on the label. The information may be displayed using a nested display, whereby the image used for accessing the fiche shall clearly and legibly indicate "Product fiche". If nested display is applied, the information shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.”

#### ANNEX IV

Annexes to Regulation 1062/2010 are amended as follows:

- (1) The title of Annex VI is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**

- (2) The following Annex IX is added:

#### “ANNEX IX

##### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label made available by suppliers in accordance with Article 3(1)(f) shall be shown on the display mechanism in proximity to the price of the product in accordance with the timetable set out in Article 3(3). The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in point 5 of Annex V. The label may be displayed using a nested display, whereby the image used for accessing the label shall adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall be presented on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product on the label; and
  - (b) on the arrow indicate energy efficiency class of the product in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:



4. The sequence of display of the label in case of nested display shall be as follows:
  - (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product price information;

- (b) the image shall link to the label;
  - (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
  - (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
  - (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
  - (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
  - (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product in a font size equivalent to that of the price.
5. The information in the product fiche referred to in Annex III shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the information is clearly visible and legible. The information may exclude information that is already displayed on the label. The information may be displayed using a nested display, whereby the image used for accessing the fiche shall clearly and legibly indicate "Product fiche". If nested display is applied, the information shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.”

## ANNEX V

Annexes to Regulation 626/2011 are amended as follows:

- (1) The title of Annex VI is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**

- (2) The following Annex IX is added:

### “ANNEX IX

#### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label made available by suppliers in accordance with Article 3(1)(h) shall be shown on the display mechanism in proximity to the price of the product in accordance with the timetable set out in Article 3(4) to 3(6). The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in Annex III. The label may be displayed using a nested display, whereby the image used for accessing the label shall adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product on the label; and
  - (b) on the arrow indicate energy efficiency class of the product in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:



4. The sequence of display of the label in case of nested display shall be as follows:
  - (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product price information;

- (b) the image shall link to the label;
  - (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
  - (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
  - (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
  - (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
  - (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product in a font size equivalent to that of the price.
5. The information in the product fiche referred to in Annex IV shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the information is clearly visible and legible. The information may exclude information that is already displayed on the label. The information may be displayed using a nested display, whereby the image used for accessing the fiche shall clearly and legibly indicate "Product fiche". If nested display is applied, the information shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.”

## ANNEX VI

Annexes to Regulation 392/2012 are amended as follows:

- (1) The title of Annex IV is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**

- (2) The following Annex VIII is added:

### “ANNEX VIII

#### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label made available by suppliers in accordance with Article 3(1)(f) shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in point 4 of Annex I. The label may be displayed using a nested display, whereby the image used for accessing the label shall be adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product on the label; and
  - (b) on the arrow indicate energy efficiency class of the product in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:



4. The sequence of display of the label in case of nested display shall be as follows:
  - (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product price information;

- (b) the image shall link to the label;
  - (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
  - (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
  - (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
  - (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
  - (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product in a font size equivalent to that of the price.
5. The information in the product fiche referred to in Annex II shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the information is clearly visible and legible. The information may exclude information that is already displayed on the label. The information may be displayed using a nested display, whereby the image used for accessing the fiche shall clearly and legibly indicate "Product fiche". If nested display is applied, the information shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.”

## ANNEX VII


Annexes to Regulation 874/2012 are amended as follows:

- (1) The title of Annex IV is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**
- (2) The following Annex VIII is added:

### “ANNEX VIII

#### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 4 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label made available by suppliers in accordance with Article 3(1)(f) or Article 3(2)(c) shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in Annex I. The label may be displayed using a nested display, whereby the image used for accessing the label shall be adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product on the label; and
  - (b) on the arrow indicate energy efficiency class of the product in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:


4. The sequence of display of the label in case of nested display shall be as follows:
  - (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product price information;



- (b) the image shall link to the label;
- (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
- (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
- (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
- (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
- (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product in a font size equivalent to that of the price.

## ANNEX VIII

Annexes to Regulation .../2013 [*energy labelling of space heaters, combination heaters, packages of space heater, temperature control and solar device and packages of combination heater, temperature control and solar device*] are amended as follows:

- (1) The title of Annex VI is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**
- (2) The following Annex IX is added:

### “ANNEX IX

#### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label, made available by suppliers in accordance with Article 3 or in the case of a package where appropriate duly filled in based on the label and fiches provided by suppliers in accordance with Article 3, shall be shown on the display mechanism in proximity to the price of the product or package in accordance with the timetable set out in Article 3. If both a product and a package are shown, but with a price indicated only for the package, only the package label shall be displayed. The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in Annex III. The label may be displayed using a nested display, whereby the image used for accessing the label shall be adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product or package on the label; and
  - (b) on the arrow indicate energy efficiency class of the product or package in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:



4. The sequence of display of the label in case of nested display shall be as follows:
  - (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product or package price information;
  - (b) the image shall link to the label;
  - (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
  - (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
  - (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
  - (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
  - (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product or package in a font size equivalent to that of the price.
5. The information in the product fiche referred to in Annex IV shall be shown on the display mechanism in proximity to the price of the product or package. The size shall be such that the information is clearly visible and legible. The information may exclude information that is already displayed on the label. The information may be displayed using a nested display, whereby the image used for accessing the fiche shall clearly and legibly indicate "Product fiche". If nested display is applied, the information shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image."

## ANNEX IX

Annexes to Regulation .../2013 [*water heaters, hot water storage tanks and packages of water heater and solar device*] are amended as follows:

- (1) The title of Annex VI is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**
- (2) The following Annex X is added:

### “ANNEX X

#### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label, made available by suppliers in accordance with Article 3 or in the case of a package where appropriate duly filled in based on the label and fiches provided by suppliers in accordance with Article 3, shall be shown on the display mechanism in proximity to the price of the product or package in accordance with the timetable set out in Article 3. If both a product and a package are shown, but with a price indicated only for the package, only the package label shall be displayed. The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in Annex III. The label may be displayed using a nested display, whereby the image used for accessing the label shall adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product or package on the label; and
  - (b) on the arrow indicate energy efficiency class of the product or package in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:



4. The sequence of display of the label in case of nested display shall be as follows:
  - (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product or package price information;
  - (b) the image shall link to the label;
  - (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
  - (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
  - (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
  - (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
  - (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product or package in a font size equivalent to that of the price.
5. The information in the product fiche referred to in Annex IV shall be shown on the display mechanism in proximity to the price of the product or package. The size shall be such that the information is clearly visible and legible. The information may exclude information that is already displayed on the label. The information may be displayed using a nested display, whereby the image used for accessing the fiche shall clearly and legibly indicate "Product fiche". If nested display is applied, the information shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image."

## ANNEX X



Annexes to Regulation .../2013 [*vacuum cleaners*] are amended as follows:

- (1) The title of Annex V is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**
- (2) The following Annex VIII is added:

### “ANNEX VIII

#### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label made available by suppliers in accordance with Article 3(1)(f) shall be shown on the display mechanism in proximity to the price of the product in accordance with the timetable set out in Article 3(2). The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in point 3 of Annex II. The label may be displayed using a nested display, whereby the image used for accessing the label shall adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product on the label; and
  - (b) on the arrow indicate energy efficiency class of the product in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:


4. The sequence of display of the label in case of nested display shall be as follows:
  - (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product price information;

- (b) the image shall link to the label;
  - (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
  - (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
  - (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
  - (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
  - (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product in a font size equivalent to that of the price.
5. The information in the product fiche referred to in Annex III shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the information is clearly visible and legible. The information may exclude information that is already displayed on the label. The information may be displayed using a nested display, whereby the image used for accessing the fiche shall clearly and legibly indicate "Product fiche". If nested display is applied, the information shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.”

## ANNEX XI

Annexes to Regulation .../2013 [*ovens and range hoods*] are amended as follows:

- (1) The title of Annex VI is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**

- (2) The following Annex VIII is added:

### “ANNEX VIII

#### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label(s) made available by suppliers in accordance with Article 3(1)(a)(vi) or 3(1)(b)(vi) shall be shown on the display mechanism in proximity to the price of the product in accordance with the timetable set out in Article 3(3). The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in Annex III. The label may be displayed using a nested display, whereby the image used for accessing the label shall adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product on the label; and
  - (b) on the arrow indicate energy efficiency class of the product in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:



4. The sequence of display of the label in case of nested display shall be as follows:



- (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product price information;
  - (b) the image shall link to the label;
  - (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
  - (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
  - (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
  - (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
  - (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product in a font size equivalent to that of the price.
5. The information in the product fiche referred to in Annex IV shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the information is clearly visible and legible. The information may exclude information that is already displayed on the label. The information may be displayed using a nested display, whereby the image used for accessing the fiche shall clearly and legibly indicate "Product fiche". If nested display is applied, the information shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.”

## ANNEX XII

Annexes to Regulation .../2013 [energy labelling of solid fuel boiler, supplementary heater, temperature control and solar device] are amended as follows:

- (1) The title of Annex VI is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**
- (2) The following Annex IX is added:

### “ANNEX IX

#### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label, made available by suppliers in accordance with Article 3 or in the case of a package where appropriate duly filled in based on the label and fiches provided by suppliers in accordance with Article 3, shall be shown on the display mechanism in proximity to the price of the product or package in accordance with the timetable set out in Article 3. If both a product and a package are shown, but with a price indicated only for the package, only the package label shall be displayed. The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in Annex III. The label may be displayed using a nested display, whereby the image used for accessing the label shall adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product or package on the label; and
  - (b) on the arrow indicate energy efficiency class of the product or package in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:



4. The sequence of display of the label in case of nested display shall be as follows:
  - (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product or package price information;
  - (b) the image shall link to the label;
  - (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
  - (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
  - (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
  - (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
  - (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product or package in a font size equivalent to that of the price.
5. The information in the product fiche referred to in Annex IV shall be shown on the display mechanism in proximity to the price of the product or package. The size shall be such that the information is clearly visible and legible. The information may exclude information that is already displayed on the label. The information may be displayed using a nested display, whereby the image used for accessing the fiche shall clearly and legibly indicate "Product fiche". If nested display is applied, the information shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image."

### ANNEX XIII

Annexes to Regulation .../2013 [*energy labelling of local space heaters*] are amended as follows:

- (1) The title of Annex VI is replaced by:  
**“Information to be provided in the cases where end-users cannot be expected to see the product displayed, except for the Internet”**

- (2) The following Annex IX is added:

#### **“ANNEX IX**

#### **Information to be provided in the case of sale, hire or hire-purchase through the Internet**

1. For the purpose of points 2 to 5 of this Annex the following definitions shall apply:
  - (a) ‘display mechanism’ means any screen, including tactile screen and visual technology used for displaying internet content to users;
  - (b) ‘nested display’ means visual interface where an image or data set is accessed by mouse click, mouse roll-over or tactile screen expansion of another image or data set;
  - (c) ‘tactile screen’ means the display mechanism for touch screens of a device such as a tablet computer, slate computer or a smartphone;
  - (d) ‘alternative text’ means text provided as an alternative to a graphic allowing information to be presented in non-graphical form where display devices cannot render the graphic or as an aid to accessibility such as input to voice synthesis applications.
2. The appropriate label made available by suppliers in accordance with Article 3(f) shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the label is clearly visible and legible and shall be proportionate to the size specified in point 2 of Annex III. The label may be displayed using a nested display, whereby the image used for accessing the label shall adhere to the specifications laid down in point 3 of this Annex. If nested display is applied, the label shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.
3. The image used for accessing the label in case of nested display shall:
  - (a) be an arrow in the colour corresponding to the energy efficiency class of the product on the label; and
  - (b) on the arrow indicate energy efficiency class of the product in white in a font size equivalent to that of the price; and
  - (c) have one of the following two formats:



4. The sequence of display of the label in case of nested display shall be as follows:

- (a) the image referred to in point 3 of this Annex shall be presented to the end-user at the first and subsequent instances of showing product price information;
  - (b) the image shall link to the label;
  - (c) the label shall display after mouse click, mouse roll-over or tactile screen expansion on the image;
  - (d) the display of the label shall be done either by: pop up, new tab, new page or inset screen display;
  - (e) for magnification of the label on tactile screens, the device conventions for tactile magnification shall apply;
  - (f) stopping the display of the label shall be done by close option or other standard closing mechanism;
  - (g) the alternative text for the graphic to be displayed on failure to display the label shall be the energy efficiency class of the product in a font size equivalent to that of the price.
5. The information in the product fiche referred to in Annex IV shall be shown on the display mechanism in proximity to the price of the product. The size shall be such that the information is clearly visible and legible. The information may exclude information that is already displayed on the label. The information may be displayed using a nested display, whereby the image used for accessing the fiche shall clearly and legibly indicate "Product fiche". If nested display is applied, the information shall present on the first mouse click, mouse roll-over or tactile screen expansion on the image.”